

Supporting information

Nanoplasmonic Microarray-Based Solid-Phase Amplification for Highly Sensitive and Multiplexed Molecular Diagnostics: Application for Detecting SARS-CoV-2

Ji Young Lee,¹ Hyowon Jang,² Sunjoo Kim,³ Taejoon Kang,^{2,4} Sung-Gyu Park,^{1*} Min-Young Lee^{1*}

¹Advanced Bio and Healthcare Materials Research Division, Korea Institute of Materials Science (KIMS), 797, Changwon-daero, Seongsan-gu, Changwon-si, Gyeongsangnam-do, 51508, Republic of Korea

²Bionanotechnology Research Center, Korea Research Institute of Bioscience and Biotechnology (KRIBB), 125, Gwahak-ro, Yuseong-gu, Daejeon, 34141, Republic of Korea

³Department of Laboratory Medicine, Gyeongsang National University College of Medicine, 79 Gangnam-ro, Jinju, Gyeongsangnam-do, 52727, Republic of Korea

⁴School of Pharmacy, Sungkyunkwan University, 2066, Seobu-ro, Jangan-gu, Suwon, Gyeonggi-do 16419, Republic of Korea

***Corresponding authors:**

Tel.: +82 55 280 3632, E-mail address: sgpark@kims.re.kr (Sung-Gyu Park)

Tel.: +82 55 280 3471, E-mail address: myay0615@kims.re.kr (Min-Young Lee)

Figure S1. Structure of a nanoplasmonic substrate. SEM image of 3D structure of densely decorated Au nanopillars with AuNPs.




Figure S2. Full, uncropped gel image from Figure 2B.

